

Work Order ID 152397

Monday, October 24, 2016 11:40:18 AM

152397

Page 1

Item ID: D3884-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Inside LH
 Start Date: 11/11/2016 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 11/17/2016 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: DAS 21 Date: OCT 24 2016 Cooling: _____ Date: _____ Run Start ***NR1***
 QC: 9-89 Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3884	C								

100
100 HAAS CNC VERTICAL MACHINING #1 0.11 8 0 DAS 44 9-89 16-11-25
 HAAS 1
 HAAS CNC vertical machine #1
 Memo
 Program Batch No. 152397
 Double check by: SA
 1-Machine Step No 1 per Folio FA818 and inspect per attached Dimension Sheets
 2-Machine Step No 2 per Folio FA818 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA818 and inspect per Dimension Sheets
 0.65

110
110 QC1- Inspection performed by CMM 0.00 8 0 DAS 44 9-89 16-11-29
 QC
 Quality Control
 Memo
 Inspect on CMM as per folio CMMA004.
 DWG REV: C
 CMM PROG. REV: B

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
SAC AL DSC				SAC AL DSC					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐				
Misidentified	☐	Past Due	☐				
				OTHER :			

152397

Monday, October 24, 2016 11:40:18 AM

N900040100

Setup Start *NS1*

Stop *NS2*

4

Cust Item ID:

Start Date: 11/11/2016 **Start Qty:** 4.00

4

Customer:

Required Date: 11/17/2016 **Req'd Qty:** 4.00

Reference:

Run Start *NR1*

Approvals: _____ **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

120 QC8- Inspect parts - second check

0.00

120

0.01

QC

Memo

Quality Control

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
			8	0		DAS 20 9-89 16-11-30

130 Chemical Conversion Coat per QSI005 4.1

0.00

130

0.15

HandFinish

Memo

Hand Finishing

x8 0 2016/11/30
Büro

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐				
Misidentified ☐	Past Due ☐	OTHER :			

Work Order ID 152397

Monday, October 24, 2016 11:40:18 AM

152397

Page 3

Item ID: D3884-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle, Inside LH
Start Date: 11/11/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 11/17/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
140 Powdercoat Powder Coating	Memo <u>M 135-418</u> ***MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT AS PER INDICATED ON DWG (SEE NOTE 2)*** ***DO NOT MASK INSIDE FLANGE SURFACE*** START TIME: <u>9:20</u> OVEN TEMPERATURE: <u>350</u> FINISH TIME: <u>9:50</u>	0.03						<u>8</u> <u>φ</u> <u>16-12-01</u> <u>DAS</u> <u>34</u> <u>9-89</u>	
150	QC3- Inspect Part Finish	0.00							
150 QC Quality Control	Memo	0.01						<u>②</u> <u>16-12-01</u> <u>DAS</u> <u>9</u> <u>9-89</u>	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By 	
								Lead hand / Supervisor Approval Verification 	
QC / QA Coordinator Approval 									

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				OTHER : _____			

Work Order ID 152397

Monday, October 24, 2016 11:40:18 AM

152397

Page 4

Item ID: D3884-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, Inside LH

Start Date: 11/11/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 11/17/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <u>5404</u>	0.00							
160									
Packaging	Memo	0.01							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.07							
Quality Control									

8 DEC 01 2016 DAS 6 9-89

DAS 21 9-89 DEC 02 2016

M 16-12-01

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER :			

Picklist Print

Monday, October 24, 2016 11:40:17 AM

Page 1

Work Order ID: 152397

152397

Parent Item: D3884-1

D3884-1

Parent Item Name: Saddle, Inside LH

Start Date: 11/11/2016

Required Date: 11/17/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: New issue DD verified by:EC
15.05.20 remove inside powdercoat DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-017		Manufactured	No				Each	33.0000		4			
D6101-017									**				
Saddle Billet													

DAS
44
9-89

16-11-24

Location

Loc Qty

Loc Code

MAT046

33

144956

3

149294

10

151100

20

152619

8

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :					
Misidentified ☐	Past Due ☐						

DART AEROSPACE LTD		Work Order:	152397
Description: Saddle, Inboard, LH		Part Number:	D3884-1
Inspection Dwg: D3884	Rev. C	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.645	.648	.648	.648		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.613	.612	.613	.613		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.175		.150	.148	.148	.149		
K	1.265	1.285		1.265	1.265	1.265	1.265		
L	0.115	0.135		.126	.126	.126	.126		
M	0.240	0.260		.250	.251	.251	.251		
N	0.110	0.140		.135	.135	.135	.135		
O	0.240	0.260		.253	.253	.252	.252		
P	2.826	2.886		2.855	2.856	2.856	2.855		
Q	0.178	0.198		.188	.188	.188	.188		
R	0.140	0.165		.152	.150	.151	.151		
S	0.720	0.780		.765	.765	.765	.765		
T	1.220	1.280		1.250	1.250	1.250	1.250		
U	1.245	1.255		1.250	1.250	1.250	1.250		
V	5.990	6.010		5.998	5.999	5.999	5.999		
W	2.495	2.505		2.500	2.500	2.500	2.500		
X	0.490	0.510		.498	.498	.498	.498		
Y	0.020	0.040		.025	.025	.025	.025		
Z	0.313	0.318		.314	.314	.314	.314		
AA	0.760	0.765		.764	.764	.764	.764		
AB	0.215	0.220		.219	.219	.219	.219		
AC	0.316	0.321		.316	.316	.316	.316		
AD	1.745	1.755		1.750	1.750	1.750	1.750		
AE	0.990	1.010		.999	1.000	1.000	.998		
AF									
Accept/Reject				✓	✓	✓	✓		

Measured by:	44
Date:	16-11-29

Audited by:	29
Date:	16-11-30

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	
B	15.09.09	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	152377
Description: Saddle, Inboard, LH		Part Number:	D3884-1
Inspection Dwg: D3884 Rev. C		Page 1 of 1	


Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	2.870	2.880		2.875	2.875	2.875	2.875		
B	1.433	1.443		1.438	1.438	1.438	1.438		
C	0.638	0.658		.645	.647	.648	.646		
D	3.895	3.905		3.900	3.900	3.900	3.900		
E	0.257	0.262		.258	.258	.258	.258		
F	0.605	0.625		.613	.615	.615	.613		
G	1.120	1.130		1.125	1.125	1.125	1.125		
H	2.245	2.255		2.250	2.250	2.250	2.250		
I	2.000	2.020		2.000	2.000	2.000	2.000		
J	0.140	0.175		.150	.149	.149	.151		
K	1.265	1.285		1.265	1.265	1.265	1.265		
L	0.115	0.135		.125	.126	.125	.125		
M	0.240	0.260		.250	.251	.250	.250		
N	0.110	0.140		.135	.135	.135	.135		
O	0.240	0.260		.253	.253	.253	.253		
P	2.826	2.886		2.855	2.855	2.855	2.855		
Q	0.178	0.198		.188	.188	.188	.188		
R	0.140	0.165		.150	.151	.151	.151		
S	0.720	0.780		.765	.765	.765	.765		
T	1.220	1.280		1.250	1.250	1.250	1.250		
U	1.245	1.255		1.250	1.250	1.250	1.250		
V	5.990	6.010		5.999	5.999	5.999	5.999		
W	2.495	2.505		2.500	2.500	2.500	2.500		
X	0.490	0.510		.498	.497	.497	.498		
Y	0.020	0.040		.025	.025	.025	.025		
Z	0.313	0.318		.314	.314	.314	.314		
AA	0.760	0.765		.764	.764	.764	.764		
AB	0.215	0.220		.218	.218	.218	.218		
AC	0.316	0.321		.316	.316	.316	.316		
AD	1.745	1.755		1.750	1.750	1.750	1.750		
AE	0.990	1.010		1.000	1.000	1.000	1.000		
AF									
Accept/Reject				✓	✓	✓	✓		

Measured by:	DAS 44
Date:	9-89 16-11-29

Audited by:	DAS 20
Date:	9-89 16-11-30

Rev	Date	Change	Revised by	Approved
A	09.10.22	New Issue	KJ	
B	15.09.09	Dwg Rev updated	KJ	




D3884-1 SADDLE, INBOARD LH

NOTES:



- 1) MATERIAL: 7075-T7351 ALUMINUM PER AMS-QQ-A-250/12, OR QQ-A-250/12 OR ASTM B209 (REF DART SPEC. D6101-015)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
MASK INSIDE SURFACES OF SADDLE PRIOR TO APPLICATION OF POWDER COAT
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO
MAX. DEPTH OF 0.010 WITH A MIN. TOOL RAD OF R0.010
- 7) WEIGHT: 1.03 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD R0.250
- 9) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D3884-1-REV.C.SLDPRPT"

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 152397 MJS
16-1024




RELEASED
A.P. 2015 MAY 19
ECN15-575

C	GENERAL REDRAW & REMOVED UNNECESSARY DIMS. ADDED NOTE 9, REMOVED POWDER COAT FROM INSIDE SURFACE OF D3884-1/2, ADDED D3884-2 TO SHT 3 & 4.	AP	15.02.11
B	D6101-017 WAS D6102-017. ZN A6-1; ADD NOTE ZN C4-2; ADD R0.031 ZN C2-2; INCREASED TOLERANCE 0.175 WAS 0.165 ZN B7-1; ADD 0.615 ZN C6-1; ADD 0.648 ZN C4-1; ADD 0.250 ZN D6-2; ADD 0.060 ZN C2-2; 0.75 WAS 0.65 ZN D7-2	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3884	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	INBOARD SADDLE	NTS
DATE	15.02.11	COPYRIGHT © 2014 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE OR COMMUNICATION TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D3884-1 SADDLE, INBOARD LH
(AUXILIARY VIEW)

RELEASED
AR 2015 MAY 19



APPROVED

DESIGN	AP
DRAWN	AP
CHECKED	AJS
MFG. APPR.	JLM
APPROVED	HS
DE APPR.	DS
DATE	15.02.11

DART AEROSPACE USA, INC.
KENT, WA

DRAWING NO. **D3884** REV. C
SHEET 2 OF 4
TITLE **INBOARD SADDLE** SCALE NTS

COPYRIGHT © 2014 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.